## Message

From: Brett Bowyer [brettbowyer@bowyerenvironmental.com]

**Sent**: 4/26/2019 8:48:08 PM

**To**: Deryck Roberts [droberts@aqmd.gov]

CC: Michael Lebow [mlebow@srllplaw.com]; don@devores.com; Castellana, Ben [castellana.ben@epa.gov]

Subject: Asbestos Survey - 210 W. Slauson Avenue, Los Angeles, California Attachments: DeVore Prop 210 W. Slauson L.A.-Ltd ACM Survey Report.pdf

Hello Mr. Roberts,

Please find attached a copy of the asbestos survey that was conducted on April 24, 2019. This report is being provided in response to the South Coast Air Quality Management District ("SCAQMD") Notice to Comply dated April 18, 2019 (Notice F10153).

If you have any questions regarding this survey, please feel free to call.

Thank you.

Brett Bowyer, P.G.



17011 Beach Boulevard, Suite 900 Huntington Beach, CA 92647 Office: (877) 232-4620 Ext. 101

Cell: (714) 878-7191 FAX: (714)494-1912

To send large files to Brett Bowyer through the BEC drop box click on the following link:

https://spaces.hightail.com/uplink/BECdropbox

## PRIVILEGED AND CONFIDENTIAL

This e-mail may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient(s). All information transmitted hereby is intended solely for the viewing and use of the addressee(s) named above. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any further reading, printing, copying or other distribution of this message is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or reply e-mail and delete the message from your e-mail system.

To comply with IRS regulations, we advise you that any discussion of Federal tax issues in this e-mail was not intended or written to be used, and cannot be used by you, (i) to avoid any penalties imposed under the Internal Revenue Code or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.